


### Description

Ideal to handle any kind of bulky or bagged material from fertilizer to seed and animal feed. Especially handy when working in tight areas or along narrow aisles.

### Dimensions



Description	Item number	Overall Length (A) (mm)	Overall Width (B) (mm)	Overall Height (C) (mm)
Floating Forks Pair 120 x 45 mm L = 1200 mm 3.8 t	7190344	1200.0	120.0	-
Floating Forks Pair 120 x 50 mm L = 1200 mm 5.0 t	7241497	1200.0	120.0	-
Pallet Fork Frame Standard MT55-S70	6809716	-	100.0	-
Pallet Fork Frame Standard	6712927	-	100.0	-
Pallet Fork Frame, Heavy Duty	7109332	1200.0	1434.0	-
TLS Side Shift Carriage, class II	7194870	-	-	-
Floating Pallet Forks 1.12 m QT (Assy)	7194864	1200.0	1120.0	-
Floating Pallet Forks 1.44 m QT (Assy)	7194865	1200.0	1440.0	-
Floating Pallet Forks 1.12 m MT (Assy)	7194868	1200.0	1120.0	-
Floating Pallet Forks 1.44 m MT (Assy)	7194869	1200.0	1440.0	-
Fixed Pallet Fork & Frame QT W/ Side Shift	7204270	1200.0	1220.0	-
Fixed Pallet Fork & Frame QT	7204268	1200.0	1220.0	-
Fixed Pallet Fork & Frame MT	7204527	1200.0	1220.0	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Overall Length (A) (mm)	Overall Width (B) (mm)	Overall Height (C) (mm)
Fixed Pallet Fork & Frame Assy MT	7204528	1200.0	1257.0	-
Fixed Pallet Fork & Frame MT W/ Side Shift	7204529	1200.0	1220.0	-
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	7204271	1200.0	1257.0	-
Fixed pallet fork frame QT	7194863	-	-	-
Fixed pallet fork frame MT	7194867	-	-	-
Fixed Pallet Fork & Frame MT W/ Backrest W/ Side Shift	7204530	1200.0	1257.0	-
Fixed Pallet Fork & Frame Assy QT	7204269	1200.0	1257.0	-
Fixed Pallet Fork & Frame QT W/ Backrest	80894.9	1200.0	1256.0	-
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	84528.9	1200.0	1300.0	-
Fixed Pallet Fork & Frame QT W/Side shift	84527.1	1200.0	1300.0	-
Backrest, FEM II and III	7202274	-	-	-

### Weights

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Floating Forks Pair 120 x 45 mm L = 1200 mm 3.8 t	7190344	85.0	85.0
Floating Forks Pair 120 x 50 mm L = 1200 mm 5.0 t	7241497	97.0	97.0
Pallet Fork Frame Standard MT55-S70	6809716	47.0	47.0
Pallet Fork Frame Standard	6712927	91.0	91.0
Pallet Fork Frame, Heavy Duty	7109332	162.0	162.0
TLS Side Shift Carriage, class II	7194870	-	-
Floating Pallet Forks 1.12 m QT (Assy)	7194864	280.0	280.0
Floating Pallet Forks 1.44 m QT (Assy)	7194865	310.0	310.0
Floating Pallet Forks 1.12 m MT (Assy)	7194868	273.0	273.0
Floating Pallet Forks 1.44 m MT (Assy)	7194869	304.0	304.0
Fixed Pallet Fork & Frame QT W/ Side Shift	7204270	380.0	380.0

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Fixed Pallet Fork & Frame QT	7204268	300.0	300.0
Fixed Pallet Fork & Frame MT	7204527	271.0	271.0
Fixed Pallet Fork & Frame Assy MT	7204528	295.0	295.0
Fixed Pallet Fork & Frame MT W/ Side Shift	7204529	351.0	351.0
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	7204271	405.0	405.0
Fixed pallet fork frame QT	7194863	-	-
Fixed pallet fork frame MT	7194867	-	-
Fixed Pallet Fork & Frame MT W/ Backrest W/ Side Shift	7204530	376.0	376.0
Fixed Pallet Fork & Frame Assy QT	7204269	325.0	325.0
Fixed Pallet Fork & Frame QT W/ Backrest	80894.9	234.0	234.0
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	84528.9	367.0	367.0
Fixed Pallet Fork & Frame QT W/Side shift	84527.1	341.0	341.0
Backrest, FEM II and III	7202274	-	-

### Main features

- Large, square holes in back screen provide excellent fork/load visibility
- Screen made from durable, heavy gauge steel for long life.

### Loader Compatibility

Description	Item number	Compatible with loader	Functional requirements
Pallet Fork Frame Standard MT55-S70	6809716	MT55E, S70E, L28, L23	-
Pallet Fork Frame, Heavy Duty	7109332	A770-B	-

### Applications

- Agriculture
- Construction and Demolition
- Landscaping
- Lifting and Handling
- Road work, Recycling and Cleaning

### Accessories For Loader-Compatible Attachments

Description	Item number	Compatible with attachment	Functional requirements
Pallet Fork Teeth, set of 2, 36in	6540184	6809716 Pallet Fork Frame wo/ Teeth	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with attachment	Functional requirements
Pallet Fork Teeth, set of 2, Heavy Duty (HD), 42in	6541521	7109332 PALLET FORK FRAME HD	-
Pallet Fork Teeth, set of 2, Heavy Duty (HD), 48in	6541518	7109332 PALLET FORK FRAME HD	-
Bale Forks, Set of 2	6815781	7109332 PALLET FORK FRAME HD	-

### Telescopic Compatibility

Description	Item number	Compatible with telescopic	Functional requirements
Floating Forks Pair 120 x 45 mm L = 1200 mm 3.8 t	7190344	TR50210EVO IIIA, TR50210EVO IIIB, TR40250EVO IIIA, TR40250EVO IIIB, TR38160EVO IIIA, TR38160EVO IIIB	-
Floating Forks Pair 120 x 50 mm L = 1200 mm 5.0 t	7241497	TR50190EVO IIIB, TR50210EVO IIIA, TR50210EVO IIIB, TR40250EVO IIIA, TR40250EVO IIIB	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
TLS Side Shift Carriage, class II	7194870	TL35.70 AGRI 100 IIIA, TL38.70HF AGRI 130 IIIA, TL26.60 High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IIIA, TL30.70 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL34.65HF AGRI 130 IV, TL35.70 AGRI 100 IV, TL38.70HF AGRI 130 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135 V R-Series	-

Specifications are subject to change without notice. Pictures of Bobcat attachments may show other than standard equipment.

Description	Item number	Compatible with telescopic	Functional requirements
Floating Pallet Forks 1.12 m QT (Assy)	7194864	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 High Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V	-

Description	Item number	Compatible with telescopic	Functional requirements
Floating Pallet Forks 1.44 m QT (Assy)	7194865	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 High Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V	-

Description	Item number	Compatible with telescopic	Functional requirements
Floating Pallet Forks 1.12 m MT (Assy)	7194868	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V	-



Description	Item number	Compatible with telescopic	Functional requirements
Floating Pallet Forks 1.44 m MT (Assy)	7194869	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V	-
Fixed Pallet Fork & Frame QT W/ Side Shift	7204270	TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135 V R-Series	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame QT	7204268	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame MT	7204527	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 IV R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135	-

Specifications are subject to change without notice. Product photos, Bobcat units may show other than standard equipment

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame Assy MT	7204528	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 IV R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame MT W/ Side Shift	7204529	TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135 V R-Series	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame QT W/ Backrest W/ Side Shift	7204271	TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135 V R-Series	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed pallet fork frame QT	7194863	TL35.70 AGRI 100 IIIA, TL38.70HF AGRI 130 IIIA, TL26.60 High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IIIA, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL34.65HF AGRI 130 IV, TL35.70 AGRI 100 IV, TL38.70HF AGRI 130 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed pallet fork frame MT	7194867	TL35.70 AGRI 100 IIIA, TL38.70HF AGRI 130 IIIA, TL26.60 High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IV, TL30.60 AGRI High Cab 100 IIIA, TL30.60 AGRI Low Cab 100 IIIA, TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL34.65HF AGRI 130 IV, TL35.70 AGRI 100 IV, TL38.70HF AGRI 130 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series,	-

Specifications are subject to change without notice. Pictures of Bobcat Units may show other than standard equipment



## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame MT W/ Backrest W/ Side Shift	7204530	TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130 IIIA R-Series, TL43.80HF 135 V R-Series	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame Assy QT	7204269	TL30.70 AGRI Low Cab 100 IV, TL30.70 AGRI High Cab 100 IV, TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF	-

Specifications are subject to change without notice. Pictures of Bobcat units may show other than standard equipment.

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Fixed Pallet Fork & Frame QT W/ Backrest	80894.9	TL34.65HF 130 IV, TL34.65HF AGRI 130 IV, TL35.70 100 IIIA, TL35.70 AGRI 100 IIIA, TL35.70 100 IV, TL35.70 AGRI 100 IV, TL38.70HF 130 IIIA, TL38.70HF AGRI 130 IIIA, TL38.70HF 130 IV, TL38.70HF AGRI 130 IV	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with telescopic	Functional requirements
Backrest, FEM II and III	7202274	TL26.60 High Cab 100 IV, TL26.60 Low Cab 100 IV, TL26.60 Low Cab 100 IIIA, TL30.60 High Cab 100 IV, TL30.60 Low Cab 100 IV, TL30.60 High Cab 100 IIIA, TL30.60 Low Cab 100 IIIA, TL30.70 High Cab 100 IIIA, TL30.70 High Cab 100 IV, TL30.70 Low Cab 100 IV, TL34.65HF 130 IV, TL35.70 100 IIIA, TL35.70 100 IV, TL38.70HF 130 IIIA, TL38.70HF 130 IV, TL43.80HF IIIA, TL43.80HF IV, T35.105 100 IV, T35.105 100 IIIA, T35.105L 100 IV, T35.105L 100 IIIA, T36.120SL 100 IV, T36.120SL 100 IIIA, T35.130S 100 IV, T35.130S 100 IIIA, T35.130SLP 100 IV, T35.130SLP 100 IIIA, T35.140S 100 IV, T35.140S 100 IIIA, T41.140SLP 100 IV, T41.140SLP 100 IIIA, T40.180SLP 100 IV, T40.180SLP 100 IIIA, TL30.60 Low Cab 75 V, TL30.60 High Cab 75 V, TL30.70 Low Cab 75 V, TL26.60 High Cab 75 V, TL26.60 Low Cab 75 V, TL30.70 High Cab 75 V, T35.105 75 V, T35.105L 75 V, T36.120SL 75 V, T35.130S 75 V, T35.130SLP 75 V, T35.140S 75 V, T41.140SLP 75 V, T40.180SLP 75 V, TL26.60 100 High Cab IIIA R-Series, TL26.60 100 High Cab V R-Series, TL26.60 100 Low Cab IIIA R-Series, TL26.60 100 Low Cab V R-Series, TL26.60 75 High Cab V R-Series, TL26.60 75 Low Cab V R-Series, TL30.60 100 High Cab IIIA R-Series, TL30.60 100 High Cab V R-Series, TL30.60 100 Low Cab IIIA R-Series, TL30.60 100 Low Cab V R-Series, TL30.60 75 High Cab V R-Series, TL30.60 75 Low Cab V R-Series, TL30.70 100 High Cab IIIA R-Series, TL30.70 100 High Cab V R-Series, TL30.70 100 Low Cab IIIA R-Series, TL30.70 100 Low Cab V R-Series, TL30.70 75 High Cab V R-Series, TL30.70 75 Low Cab V R-Series, TL34.65HF 135 V R-Series, TL35.70 100 IIIA R-Series, TL35.70 100 V R-Series, TL38.70HF 130 IIIA R-Series, TL38.70HF 135 V R-Series, TL43.80HF 130	-

Specifications are subject to change without notice. Pictures of Bobcat® lifts may show other than standard equipment.

### Accessories For Telescopic-Compatible Attachments

Description	Item number	Compatible with attachment	Functional requirements
RTLS Pallet Fork Frame w/pins (for quick att. use)	7191915	7190344 Pair of floating forks 3800 kg - L=1200 x 120 x 45mm,7241497 Pair of Floating forks 5000kg - L=1200 x 120 x 50 mm	-
Fork frame backrest	7262040	7190344 Pair of floating forks 3800 kg - L=1200 x 120 x 45mm,7241497 Pair of Floating forks 5000kg - L=1200 x 120 x 50 mm	-
Backrest, FEM II and III	7202274	7194868 FLOATING PALLET FORKS 1.12M MT,7194869 FLOATING PALLET FORKS 1.44M MT,7204270 FIXED PALLET FORK III + FORKS + S/SHIFT QT,7204268 FIXED PALLET FORK III + FORKS QT,7204527 FIXED PALLET FORK III + FORKS MT,7204528 FIXED PALLET FORK III + FORKS + BACKREST MT,7204529 FIXED PALLET FORK III + FORKS + S/SHIFT MT,7204271 FIXED PALLET FORK III + FORKS + BACKREST + S/SHIFT QT,7204530 FIXED PALLET FORK III + FORKS + BACKREST + S/SHIFT MT,80894.9 Fixed Pallet Fork Frame QT W/Backrest	-
Rigid Bale (1 piece) for Pallet Fork Frame class II QT	76836.6	7194868 FLOATING PALLET FORKS 1.12M MT,7194869 FLOATING PALLET FORKS 1.44M MT,7204270 FIXED PALLET FORK III + FORKS + S/SHIFT QT,7204268 FIXED PALLET FORK III + FORKS QT,7204271 FIXED PALLET FORK III + FORKS + BACKREST + S/SHIFT QT,80894.9 Fixed Pallet Fork Frame QT W/Backrest	-
TLS Side Shift Carriage, class II	7194870	7204527 FIXED PALLET FORK III + FORKS MT,7204528 FIXED PALLET FORK III + FORKS + BACKREST MT,7204529 FIXED PALLET FORK III + FORKS + S/SHIFT MT,7204530 FIXED PALLET FORK III + FORKS + BACKREST + S/SHIFT MT	-

## Pallet Forks, Standard

## Attachments Specifications

Description	Item number	Compatible with attachment	Functional requirements
Rigid Bale Fork (1 piece) for Pallet Fork Frame class III QT and MT	7194871	7204527 FIXED PALLET FORK III + FORKS MT,7204528 FIXED PALLET FORK III + FORKS + BACKREST MT,7204529 FIXED PALLET FORK III + FORKS + S/SHIFT MT,7204530 FIXED PALLET FORK III + FORKS + BACKREST + S/SHIFT MT	-

# BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontaktar dig så snart som möjligt. Tack!



**BEGÄR OFFERT**

