


## Description

This versatile, hydraulically-operated attachment offers five different blade configurations to help operators move snow fast. The blade has on-the-go finger-tip control and angles 30 degrees right or left to continuously push snow to either side of the loader, straight or scoop configuration to push large amounts of snow, or v-configuration to plow through the deepest snow.

## Dimensions



Description	Item number	Overall length (A) (mm)	Overall width (straight) (C) (mm)	Overall height (B) with blade extension (mm)
Snow V-Blade 152 cm	7104861	-	1520.0	-
Snow V-Blade 183 cm	6958576	1201.0	1830.0	833.0
Snow V-Blade 213 cm	6958577	1201.0	2130.0	833.0
Snow V-Blade 244 cm	6958578	1201.0	2489.0	833.0
Snow V-Blade 274 cm	6958579	1201.0	2740.0	833.0

## Weights

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Snow V-Blade 152 cm	7104861	331.0	331.0
Snow V-Blade 183 cm	6958576	367.0	367.0
Snow V-Blade 213 cm	6958577	385.0	385.0
Snow V-Blade 244 cm	6958578	406.0	406.0
Snow V-Blade 274 cm	6958579	425.0	425.0

## Characteristics and performance

Description	Item number	Working width (V-Blade) (mm)	Scoop Working width (U-Blade) (mm)	Working width (angled 30°) (mm)	Oscillation (with flotation kit) ± (°)
Snow V-Blade 152 cm	7104861	1380.0	1340.0	1370.0	10.0
Snow V-Blade 183 cm	6958576	1638.0	1600.0	1626.0	10.0
Snow V-Blade 213 cm	6958577	1905.0	1880.0	1905.0	10.0
Snow V-Blade 244 cm	6958578	2171.0	2133.0	2150.0	10.0

Description	Item number	Working width (V-Blade) (mm)	Scoop Working width (U-Blade) (mm)	Working width (angled 30°) (mm)	Oscillation (with flotation kit) ± (°)
Snow V-Blade 274 cm	6958579	2438.0	2413.0	2413.0	10.0

### Main features

- V-Blade: clear a path through deep snow.
- Straight Blade: pile large amounts of snow.
- Scoop Blade: scoop, push or pile snow.
- 30° Left or Right Angle Blade: continuously push snow to either side of the loader.
- Fingertip adjustments of V-blade's five configurations.
- Multi-position frame allows blade to be raised or lowered to desired working height.
- Domed, adjustable skid shoes and trip springs provide operator and component protection.
- Optional rubber cutting edge kits available.

### Applications

- Snow Removal

### Loader Compatibility

Description	Item number	Compatible with loader	Functional requirements
Snow V-Blade 152 cm	7104861	T450E IIIB, S450E IIIA, S450B T2, S450 V, T450E V, L28, L23	-
Snow V-Blade 183 cm	6958576	T450E IIIB, T590E IIIB, T590B iT4, S450E IIIA, S450B T2, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S450 V, S510E V, S530E V, T590E V, T450E V, S66, T66, S510B, S530B, S550E V, S590E V	-
Snow V-Blade 213 cm	6958577	A770-B, T450E IIIB, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S450E IIIA, S450B T2, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S450 V, S510E V, S530E V, T590E V, T450E V, S66, S76, T66, T76, S510B, S530B, S550E V, S590E V, S630B iT4, S650B iT4	-

Description	Item number	Compatible with loader	Functional requirements
Snow V-Blade 244 cm	6958578	A770-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4	-
Snow V-Blade 274 cm	6958579	A770-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S76, T76, S630B iT4, S650B iT4	-

# BE OM EN OFFERT

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontaktar dig så snart som möjligt. Tack!



**BEGÄR OFFERT**

